

Use of Contractor's Test Results for Acceptance ...




Presented by Matthew Corrigan

NESMEA -2007

October 16, 2007 Groton, CT

Accept


Long-Life Asphalt Pavements for the 21st Century



Title 23 Code of Federal Regulations, Part 637

(23 CFR 637)


June 29, 1995





Technical Advisory T 6120.3 Use of Contractor Test Results in the Acceptance Decision, ...

August 9, 2004



Revised as of April 1, 2004


Highways

33 States using Contractor Test Results in the Acceptance Decision Hawaii Alaska



- Survey of FHWA Division Administrators
 - 60% of the Divisions that have done State reviews have a concern with the results obtained from the contractor
 - Seven Divisions reported concerns without doing a State review

- You know there is a concern when...
 - One third of the States represented at the AASHTO SOC indicated they had individuals under active investigation internally or by the OIG for fraud or other contracting abuses
 - FHWA Division Offices are requesting reviews



You REALLY know there is a concern when ...




The State Agency's are proactively requesting FHWA reviews


- The Office of Inspector General
 - "Contract Fraud Initiative Is Our Number One Priority" - OIG
 - Statistics Since FY 2000 thru Present
 - 180 Indictments
 - 139 Convictions
 - \$98 Million in Fines & Restitution, etc.
 - 600 Years in Jail, Probation, etc.









- What is being found ...
 - Manipulation of test data (both parties)
 - Raw weights modified
 - Incorrect calibrations
 - Manipulation of production
 - Substitution and manipulation of cores
 - Gyratory compactor mold wear
 - Discharging from different silos
















Several State DOTs have gone back to doing the acceptance testing in house

- Where we are now
 - Not enough State Verification Testing
 - Not enough State personnel
 - Reluctance to spend money on construction engineering – not even for consultants
 - Ineffective validation procedures
 - Increasing volume of projects/workload




20 States Reviewed as part of **QA Stewardship Reviews** 2 Hawaii Alaska



Needed Improvements

Sampling and testing provisions need to be stronger and require more emphasis.

Largest Area of Concern Identified during the **QA Stewardship Reviews**






Needed Improvements

Need to strengthen the validation procedures of Contractor's results used for acceptance

no independent samples

Highest Frequency of Regulatory Non-Compliance Identified during the QA Stewardship Reviews





Independent Samples

23CFR637B Sec. 637.207 QA Program



Contractor sampling and test results can be used as part of the acceptance decision provided:


(a)(1)(ii)(B) ... they are validated by verification sampling and testing ... verification testing shall be performed on samples taken <u>independently of the contractor</u> samples



Needed Improvements

Need to strengthen the validation procedures of Contractor's results used for acceptance

- No independent samples
- Verification testing by Contractors





Independent Samples



23CFR637B Sec. 637.205 Policy

(d) The verification sampling and testing are to be performed by qualified testing personnel employed by the State or its designated agent, excluding the contractor and vendor.



Independent Samples

When is it possible to allow some limited contractor involvement in taking independent verification samples for the State?

- Labor Regulations
- Hazardous Conditions
- Liability Issues



Independent Samples

When is it possible to allow some <u>limited</u> contractor involvement in taking independent verification samples for the State?

Labort Collations
Chazardous Conditions
Tiatulity Issues





Independent Samples

The State can use the services of the contractor's personnel to assist in obtaining independent verification samples when the following requirements are adhered to:




Independent Samples

- The verification sample location or time is randomly selected by the State and is only given to the contractor <u>immediately</u> prior to sampling.
- The contractor's personnel are used only to provide labor to <u>assist</u> in physically obtaining the verification sample of the material.
- The State is present to witness the taking of the verification sample.



- Both the State witness and contractor labor are qualified sampling personnel.
- The <u>State witness controls</u> the sampling process by choosing the location or timing and directing the taking of the verification sample.
- The State witness immediately takes possession of the verification sample.





Needed Improvements


Need to strengthen the validation procedures of Contractor's results used for acceptance

- no independent samples
- Verification testing by Contractors
- no statistical comparison
 - number of samples for comparison

Independent Sample Validation F-test

 H_o : variances are equal, $s^2_{contractor} = s^2_{state}$ t-test (independent)

 H_o : means are equal, $\overline{X}_{contractor} = \overline{X}_{state}$



Power of the *F*-test

Ratio of Standard Deviations	Number of Contractor Tests	Number of Agency Tests	Probability of Detecting a Difference
2	3	3	0.10
	5	5	0.21
	20	5	0.49
	:	:	
	40	10	0.77
	50	15	0.90

Power of the (independent) t-test

Difference in Means	Number of Contractor Tests	Number of Agency Tests	Probability of Detecting a Difference
3	5	1	0.34
	6	1	0.42
	7	1	0.46
	8	1	0.53
	9	1	0.54
	10	1	0.58

Power of the (paired) *t*-test


Difference in Means	Number of Contractor Tests	Number of Agency Tests	Probability of Detecting a Difference
2	2	2	0.17
	3	3	0.47
	4	4	0.73
	:		
	7	7	0.98
	10	10	1.00



Needed Improvements


Need to strengthen the validation procedures of Contractor's results used for acceptance

- no independent samples
- Verification testing by Contractors
- no statistical comparison
 - number of samples for comparison
 - increase frequency (non-comparison)
- no defined time frame for comparison






- Control of Contractor supplied data
 - source documentation
- Control of random sampling locations
- Multiple sample locations and tests
- Retest provisions
- Dispute resolution




- Needed Improvements
 - Independent Assurance
 - tolerances
 - not using split samples
 - used for "Specification Compliance"
 - incomplete program
 - include all technicians and tests




- Considered in properly developed QA plans
- Dependent on selected AQL and RQL
- Lowered with larger sample quantities
- Developed using computer simulation
 - Programs: NONCENTT, Demo89, SpecRisk Analysis Software (2007)
 - Operating Characteristic (OC) Curves
 - Expected Pay (EP) Curves












- Needed to continue the journey:
 - Appropriate Check's and Balances
 - Strong Sampling and Testing Provisions
 - Strong Technician Qualification Programs
 - Demonstrated Proficiency
 - Qualification Revocation Process
 - Strong Validation Procedures
 - Increased Number of State Tests
 - Strong Independent Assurance Program
 - Strong Quality Assessment Procedures



33 States using Contractor Test Results in the Acceptance Decision Hawaii Alaska

All States using Contractor Test Results in the Acceptance Decision? Hawaii Alaska

No States using Contractor Test Results in the Acceptance Decision? Hawaii Alaska

www.fhwa.dot.gov/pavement/qa/index.cfm

www.fhwa.dot.gov/pavement/materials/ stewardreview2007.cfm





Office of Pavement Technology Asphalt Pavement Program

Matthew Corrigan, P.E.

Mobile Asphalt Laboratory Program Manager Warm Mix Asphalt Program Manager

Office of Pavement Technology
HIPT-10, Room 3118
400 Seventh Street S.W.
Washington, DC 20590

matthew.corrigan@dot.gov www.fhwa.dot.gov/pavement





